

All motherboards listed on the **GeIL Qualified Motherboard List** – GQML have been tested with the specified GeIL memory kits for compatibility, stability and performance by GeILs' FAE to ensure best quality.

If you encounter any technical issue or need further assistance please contact our Tech Support at tech@geil.com.tw.

Please also refer to each of the motherboard manufacture's official website for more information and cross-referencing.

GeIL DDR3 Gaming Series – EVO TWO Triple Channel

| Model Number | CAS Latency | Capacity |
|--------------|-------------|------------------|
| 6GB (3x2GB) | 6-6-6 | GET36GB1333C6TC |
| 6GB (3x2GB) | 7-7-7 | GET36GB1600C7TC |
| 6GB (3x2GB) | 9-9-9 | GET36GB1800C9TC |
| 6GB (3x2GB) | 9-9-9 | GET36GB2000C9TC |
| 12GB (3x4GB) | 9-9-9 | GET312GB2000C9TC |

Motherboard Brand: ASUS

| Intel X58 |
|-----------------------|
| P6T7 WS SuperComputer |
| Rampage II Extreme |
| Rampage II Gene |
| P6T |
| P6T6 WS Revolution |
| P6T WS Professional |
| P6T Deluxe |
| P6T Deluxe V2 |
| P6T Deluxe/OC Palm |

Motherboard Brand: GIGABYTE

| Intel X58 |
|------------------|
| GA-EX58-UD3R |
| GA-EX58-EXTREME |
| GA-EX58-UD5 |
| GA-EX58-UD4P |
| GA-X58-UD4 |
| GA-EX58-DS4 |
| GA-EX58-UD3R-SLI |

Motherboard Brand: MSI

| Intel X58 |
|------------------|
| X58 Platinum |
| X58 Platinum SLI |
| X58 Pro |
| X58 Pro SLI |
| X58 Pro-E |
| X58M |
| Eclipse SLI |